

# Contents

<b>Abstract</b>	<b>1</b>
<b>Acknowledgements</b>	<b>2</b>
<b>Symbols</b>	<b>5</b>
0.1    Symbols used in this study . . . . .	5
0.2    Conventions used in this study . . . . .	6
<b>1 Introduction</b>	<b>23</b>
1.1    Nuclear Technology in a Modern Society . . . . .	23
1.2    Nuclear Fuel . . . . .	24
1.3    Safety Issues . . . . .	27
1.4    Nuclear Fission . . . . .	28
1.4.1    Fission energy . . . . .	28
1.4.2    Fission products . . . . .	29
1.5    Trapping of Fission Products . . . . .	31
1.6    Structural property changes . . . . .	34
1.7    Pellet-Cladding-Interaction (PCI) . . . . .	34
1.8    Fuel Oxidation . . . . .	35

1.9	Non-fertile fuel . . . . .	35
1.10	Atomic Scale Simulation . . . . .	36
1.11	Molecular Dynamics . . . . .	38
1.12	Visualisation of Atomistic Simulation Data . . . . .	38
<b>I</b>	<b>Uranium oxides</b>	<b>40</b>
<b>2</b>	<b>Atomistic Simulation</b>	<b>41</b>
2.1	The perfect lattice . . . . .	42
2.2	Minimizing the Lattice Energy . . . . .	46
2.2.1	Minimizing to Constant Volume . . . . .	47
2.2.2	Constant Pressure . . . . .	49
2.2.3	Physical Properties . . . . .	50
2.3	Defects . . . . .	51
2.4	Short Range Potentials . . . . .	54
2.4.1	Electron Gas Method . . . . .	55
2.4.2	Empirical Method . . . . .	56
2.5	Ionic Polarizability . . . . .	56
<b>3</b>	<b>Diffusion in uranium oxides</b>	<b>58</b>
3.1	Diffusion Coefficients . . . . .	58
3.2	The Association/Dissociation Reaction . . . . .	61
3.3	The Quasi-Harmonic Approach . . . . .	62
3.3.1	Validity of the Q-H Approach . . . . .	62
3.4	Interpretation . . . . .	63
3.4.1	Self diffusion . . . . .	63

3.4.2	Fission products . . . . .	64
3.4.3	Interpretation of release data . . . . .	64
<b>4</b>	<b>The Uranium-Oxygen system</b>	<b>68</b>
4.1	$\text{UO}_2$ . . . . .	68
4.1.1	Materials properties . . . . .	70
4.1.2	Self diffusion and radiation enhanced diffusion . . . . .	72
4.1.3	Stoichiometry . . . . .	73
4.1.4	Fission products . . . . .	73
4.2	$\text{U}_3\text{O}_8$ . . . . .	84
4.2.1	Self-diffusion in $\text{U}_3\text{O}_8$ . . . . .	84
<b>5</b>	<b>Results</b>	<b>86</b>
5.1	$\text{UO}_2$ . . . . .	86
5.1.1	Inter-ionic Potentials . . . . .	86
5.1.2	Fission product potentials . . . . .	88
5.1.3	Ionization potentials . . . . .	89
5.1.4	Perfect lattice results . . . . .	92
5.1.5	Intrinsic defects in $\text{UO}_2$ . . . . .	92
5.1.6	Electronic defects . . . . .	99
5.1.7	Intrinsic defect mobility . . . . .	99
5.2	Fission products in $\text{UO}_2$ . . . . .	110
5.2.1	Caesium . . . . .	111
5.2.2	Iodine . . . . .	117
5.2.3	Concluding comments . . . . .	122
5.2.4	Ruthenium . . . . .	123

---

5.3	$\text{U}_3\text{O}_8$	136
5.3.1	Inter-ionic potentials	136
5.3.2	Perfect lattice results for $\text{U}_3\text{O}_8$	136
5.3.3	Equilibrium formation enthalpies of intrinsic defects in $\text{U}_3\text{O}_8$ and $\text{U}_3\text{O}_{8-z}$	137
5.3.4	Intrinsic defect mobility in $\text{U}_3\text{O}_8$	139
5.4	Fission products in $\text{U}_3\text{O}_8$	147
5.4.1	Solution of $\text{Cs}_2\text{O}$ in $\text{U}_3\text{O}_8$	147
5.4.2	Migration of caesium in $\text{U}_3\text{O}_{8-z}$	148
5.4.3	Migration of caesium in $\text{U}_3\text{O}_8$	149
5.4.4	Solution of iodine in $\text{U}_3\text{O}_8$	154
5.4.5	Migration of iodine in $\text{U}_3\text{O}_8$	154
5.4.6	Vacancy assisted migration in $\text{U}_3\text{O}_{8-z}$	157
5.4.7	Solution of ruthenium in $\text{U}_3\text{O}_8$	159
5.4.8	Migration of ruthenium in $\text{U}_3\text{O}_8$	164
<b>II</b>	<b>Yttria</b>	<b>167</b>
<b>6</b>	<b>Solution Mechanisms for Dopant Oxides in Yttria</b>	<b>168</b>
6.1	Introduction	168
6.1.1	Crystallography	169
6.1.2	Solution mechanisms	170
6.2	Methodology	172
6.3	Results	172
6.3.1	Basic Lattice Properties	172
6.3.2	Isovalent Oxides	175

6.3.3	Solution mechanisms for monoxides . . . . .	177
6.3.4	Solution mechanisms for dioxides . . . . .	181
6.3.5	Co-doping solution mechanisms . . . . .	185
6.3.6	Ternary oxides . . . . .	188
6.4	Concluding comments . . . . .	190
<b>III</b>	<b>Molecular Dynamics</b>	<b>193</b>
<b>7</b>	<b>Molecular Dynamics</b>	<b>194</b>
7.1	Methodology . . . . .	195
7.2	Penicillin algorithm . . . . .	197
7.2.1	Gear 5 <sup>th</sup> order predictor-corrector algorithm . . . . .	197
7.2.2	The total energy . . . . .	199
7.2.3	Rescale factors . . . . .	199
7.3	Inter ionic potentials . . . . .	200
7.4	Constructing a Cluster . . . . .	200
7.5	Running penicillin . . . . .	202
7.6	Surface and bulk . . . . .	203
7.7	RMSD analysis . . . . .	204
7.7.1	Random walk . . . . .	206
7.7.2	Simple estimation of diffusion coefficient . . . . .	209
7.8	Simulations . . . . .	209
7.8.1	Small UO <sub>2</sub> cluster . . . . .	209
7.8.2	Large UO <sub>2</sub> cluster . . . . .	214
7.8.3	U <sub>3</sub> O <sub>8</sub> . . . . .	217
7.9	Diffusion Coefficients . . . . .	223

7.9.1	The small UO <sub>2</sub> cluster . . . . .	223
7.9.2	The large UO <sub>2</sub> cluster . . . . .	223
7.9.3	The U <sub>3</sub> O <sub>8</sub> cluster . . . . .	227
<b>8</b>	<b>Conclusions and Future work</b>	<b>232</b>
8.1	Summary . . . . .	232
8.2	Future work . . . . .	235
<b>A</b>	<b>The Penicillin MD code</b>	<b>238</b>
A.1	Penicillin . . . . .	239
A.1.1	Running penicillin . . . . .	239
A.1.2	Multi processor penicillin . . . . .	242
A.2	Penicillin utilities . . . . .	243
A.2.1	ARC Files . . . . .	244
A.2.2	arc2dist . . . . .	244
A.2.3	arc2surf . . . . .	246
A.2.4	arcdiet . . . . .	247
A.2.5	arc2pov . . . . .	247
A.2.6	arc2arc . . . . .	248
A.2.7	cas2pen . . . . .	249
A.2.8	casplot . . . . .	249
A.2.9	mdviz . . . . .	250
A.3	Future Development . . . . .	251
<b>B</b>	<b>Visualisation of Atomic Scale Simulations</b>	<b>253</b>
B.1	Introduction . . . . .	254
B.1.1	Graphical Modelling programs . . . . .	254

B.1.2	Impact of the World Wide Web . . . . .	255
B.1.3	Advances in Hardware and Software . . . . .	256
B.1.4	Atomistic Simulation . . . . .	256
B.2	Atomistic Simulation Methodology . . . . .	257
B.2.1	Migration Enthalpy Calculation . . . . .	257
B.2.2	Molecular Dynamics Techniques (MD) . . . . .	259
B.3	Visualisation Techniques . . . . .	260
B.3.1	Images . . . . .	260
B.3.2	Movies . . . . .	260
B.3.3	3D Interactive Objects (VRML) . . . . .	261
B.3.4	3D Interactive Graphics with OpenGL . . . . .	262
B.4	Migration in $\text{UO}_2$ and $\text{U}_3\text{O}_8$ . . . . .	264
B.4.1	Crystallography . . . . .	264
B.4.2	Methodology . . . . .	264
B.4.3	Migration of $\text{U}^{4+}$ and $\text{O}^{2-}$ in $\text{UO}_2$ . . . . .	266
B.5	Results . . . . .	268
B.5.1	Migration of Iodide in $\text{U}_3\text{O}_{8-z}$ . . . . .	268
B.5.2	$\text{O}^{2-}$ migration in $\text{UO}_2$ via MD . . . . .	268
B.5.3	Modelling of an $\text{LaF}_3$ Nanocluster with MD . . . . .	273
B.6	Concluding Comments . . . . .	273
B.7	Computational Issues . . . . .	274
B.7.1	Example Modelling Software . . . . .	274
B.7.2	Conversions . . . . .	275
B.7.3	Making the Movies and Pictures . . . . .	276

# List of Tables

4.1	Data on the UO <sub>2</sub> phase. . . . .	71
4.2	The self diffusion of intrinsic defects in UO <sub>2±x</sub> and U <sub>3</sub> O <sub>8</sub> . . . . .	72
4.3	Arrhenius fits to caesium data. . . . .	77
4.4	Arrhenius fits to iodine data. . . . .	79
4.5	Arrhenius fits to ruthenium migration data. . . . .	81
4.6	Relevant experimental U <sub>3</sub> O <sub>8</sub> studies to date. . . . .	85
4.7	Relevant U <sub>3</sub> O <sub>8</sub> simulation studies to date. . . . .	85
5.1	The UO <sub>2</sub> potential parameters used in this study. . . . .	87
5.2	The fission product potential parameters used in UO <sub>2</sub> . . . . .	90
5.3	Ionization potentials used in this study. . . . .	91
5.4	Predicted UO <sub>2</sub> crystal properties. . . . .	93
5.5	Predicted formation enthalpies of intrinsic defects in UO <sub>2</sub> . . . . .	98
5.6	Calculated incorporation energies of Cs filled defects. . . . .	113
5.7	Calculated caesium equilibrium solution energies. . . . .	114
5.8	Predicted solution enthalpies and migration activation enthalpies of caesium in UO <sub>2</sub> as a function of stoichiometry. . . . .	117
5.9	Solution enthalpies of iodine in UO <sub>2</sub> . . . . .	119

---

5.10 Predicted solution enthalpies and migration activation enthalpies of iodine in $\text{UO}_2$ as a function of stoichiometry . . . . .	121
5.11 Solution enthalpies of Ru in $\text{UO}_{2\pm x}$ . . . . .	127
5.12 Comparison of ruthenium accomodation mechanisms in $\text{UO}_2$ . . . . .	130
5.13 Migration of ruthenium ions within $\text{V}_{\text{U}_2}$ like defects. . . . .	133
5.14 Predicted solution enthalpies and migration activation enthalpies of ruthenium in $\text{UO}_2$ . . . . .	135
5.15 Inter atomic potentials for the $\text{U}_3\text{O}_8$ system. . . . .	137
5.16 Predicted $\text{U}_3\text{O}_8$ crystal properties . . . . .	138
5.17 The effective equilibrium formation enthalpies of intrinsic defects in $\text{U}_3\text{O}_8$ and $\text{U}_{3-\text{z}}$ . . . . .	139
5.18 Calculated caesium filled defect energies. . . . .	151
5.19 Equilibrium solution energies of $\text{Cs}_2\text{O}$ in $\text{U}_3\text{O}_8$ . . . . .	152
5.20 The predicted Arrhenius activation energies for caesium migration. .	153
5.21 Solution energies are calculated relative to a hypothetical free neutral iodine ion. $\text{O}(\text{n})\text{xO}(\text{n})$ indicates a di-vacancy trap where vacancies are not located in the same basal plane. . . . .	155
5.22 Solution energies are calculated relative to a hypothetical free neutral iodine ion. Larger oxygen di-vacancies are not reported here as their formation enthalpies are much higher than in $\text{U}_{3-\text{z}}$ and play no part in stoichiometric $\text{U}_3\text{O}_8$ . . . . .	156
5.23 The solution energies (eV) for ruthenium ions in $\text{U}_{3-\text{z}}$ and $\text{U}_3\text{O}_8$ . .	162
6.1 Properies of interstitial sites in $\text{Y}_2\text{O}_3$ . . . . .	170
6.2 Buckingham potential parameters used for $\text{Y}_2\text{O}_3$ . . . . .	173
6.3 Shell model parameters. . . . .	174

6.4	Predicted $\text{Y}_2\text{O}_3$ lattice properties. . . . .	174
6.5	Experimental and predicted lattice volumes and lattice energies of $\text{M}_2\text{O}_3$ type ceramics. . . . .	177
6.6	The binding energies of neutral defect clusters. . . . .	178
7.1	Bulk and surface ions. . . . .	204
7.2	Summary of diffusion coefficients derived from MD results presented in Figures 7.19, 7.20, 7.21, 7.22 and 7.23. . . . .	230

# List of Figures

1.1	Uranium-oxygen phase diagram.	26
1.2	Uranium fission yield spectrum.	30
1.3	Fission yield per fission product after 2.9% burnup.	32
1.4	Metal bubbles and inclusions in high burnup UO <sub>2</sub>	33
2.1	Graph of the addition of Gaussians as done in the Ewald approximation.	43
2.2	$\phi_2$ as used in the Ewald approximation.	44
2.3	The lattice surrounding a defect is split up into three regions.	52
3.1	Schematic representation of the enthalpy during a vacancy assisted migration process.	61
3.2	The Booth model compared with a first and second order approximation of fission product release.	66
4.1	Uranium-oxygen phase diagram	69
4.2	The structure of UO <sub>2</sub>	70
4.3	Micro graph showing pores in high burn-up UO <sub>2</sub>	75
4.4	Caesium diffusion data.	76
4.5	Arrhenius plot of iodine data.	78
4.6	Literature ruthenium diffusion data.	83

---

5.1	Relative concentration of $[V_U]/[O_i]$ . . . . .	95
5.2	$D_0$ as a function of sub-stoichiometry $x$ . . . . .	96
5.3	Schematic diagram of oxygen migration in $\text{UO}_2$ . . . . .	101
5.4	Oxygen migration enthalpy in $\text{UO}_2$ . . . . .	102
5.5	Perpendicular view of oxygen migration path in $\text{UO}_2$ . . . . .	103
5.6	The migration of an oxygen interstitial in the $\text{UO}_2$ lattice. The activation energy for this process is approximately 3.0 eV. . . . .	104
5.7	This contour map shows the defect enthalpy of a uranium ion as a function of its position on a plane between two lattice sites. . . . .	105
5.8	Out of plane uranium migration in $\text{UO}_2$ . . . . .	106
5.9	Uranium migration near interstitials. . . . .	107
5.10	By removing a nearby oxygen ion, the migration enthalpy of uranium is reduced by 0.6 eV to 6.3 eV. . . . .	109
5.11	Cation vacancy assisted migration. . . . .	115
5.12	Diffusion of caesium inside diffusion clusters. Note that ion diffusion in $\text{V}_{\text{U}_2\text{O}_4}$ is asymmetric. . . . .	116
5.13	Comparison of predicted iodine migration enthalpies in $\text{UO}_2$ with literature. . . . .	124
5.14	Schematic diagram of the accomodation of Ru in $\text{UO}_2$ fuel as a function of stoichiometry. . . . .	131
5.15	The [001] plane of the $\text{U}_3\text{O}_8$ structure. . . . .	141
5.16	Contour plot of migration profile for an oxygen ion in a O(1):O(2) vacancy. . . . .	142
5.17	Contour plot of migration profile for an oxygen ion in a O(1):O(3) vacancy. . . . .	143

---

5.18 Contour plot of migration profile for an oxygen ion in a O(2):O(2) vacancy. . . . .	144
5.19 Contour plot of migration profile for an oxygen ion in a O(2):O(3) vacancy. . . . .	145
5.20 This contour map shows the defect energy of a uranium ion as a function of its position on a plane between the U(1) and U(2) lattice sites in $\text{U}_3\text{O}_8$ . . . . .	146
5.21 The symmetric $\text{V}_{\text{U}(1)\text{O}(2)2\text{O}\text{X}(1)}$ defect. . . . .	149
5.22 A contour plot of the energy of an interstitial iodine ion moved through the lattice. The migration energy barrier between interstitial site $\alpha$ to site $\beta$ is approximately 2.6 eV. . . . .	158
5.23 Solution energies and sites for iodine associated with two oxygen vacancies in the basal plane of $\text{U}_3\text{O}_8$ . . . . .	160
5.24 The migration of interstitial $\text{Ru}^+$ through $\text{U}_3\text{O}_8$ . . . . .	165
5.25 Contour plot of the defect energy of a $\text{Ru}^{2+}$ interstitial ion in different positions in the $\text{U}_3\text{O}_8$ structure. The migration energy is $4.0 \pm 0.5$ eV.	166
6.1 The enthalpy of solution of isovalent oxides in $\text{Y}_2\text{O}_3$ . . . . .	176
6.2 The enthalpy of solution of AO in $\text{Y}_2\text{O}_3$ . . . . .	179
6.3 The enthalpy of solution of AO oxides in $\text{Y}_2\text{O}_3$ when neutral defects are considered. . . . .	180
6.4 The solution of $\text{BO}_2$ in $\text{Y}_2\text{O}_3$ . . . . .	182
6.5 The solution of $\text{BO}_2$ and AO in $\text{Y}_2\text{O}_3$ . . . . .	185
6.6 The solution of $\text{BO}_2$ and AO in $\text{Y}_2\text{O}_3$ when B and A ions cluster. . . . .	187
6.7 The solution of $\text{BO}_2$ and AO in $\text{Y}_2\text{O}_3$ when the formation of $\text{ABO}_3$ is considered. . . . .	189

---

7.1	The probability distribution of a random walk particle in a cubic lattice and fitted continuous distribution functions. . . . .	207
7.2	The concentration distribution of a random walk particle in a cubic lattice and fitted continuous concentration distribution functions. . . . .	207
7.3	Displacement distribution of bulk oxygen ions in a 324 ion UO <sub>2</sub> cluster. . . . .	210
7.4	Displacement distribution of surface oxygen ions in a 324 ion UO <sub>2</sub> cluster. . . . .	210
7.5	Displacement distribution of bulk uranium ions in a 324 ion UO <sub>2</sub> cluster. As expected, no migration takes place in the bulk. . . . .	212
7.6	Displacement distribution of surface uranium ions in a 324 ion UO <sub>2</sub> cluster. The long range migration at high temperatures can be attributed to surface reconstruction. . . . .	213
7.7	Displacement distribution of bulk oxygen ions in a 3129 ion UO <sub>2</sub> cluster. . . . .	215
7.8	Displacement distribution of surface oxygen ions in a 3192 ion UO <sub>2</sub> cluster. . . . .	215
7.9	Displacement distribution of surface uranium ions in a 3192 ion UO <sub>2</sub> cluster. . . . .	216
7.10	Displacement distribution of bulk uranium ions in a 3129 ion UO <sub>2</sub> cluster. . . . .	216
7.11	Displacement distribution of bulk oxygen ions in a 2750 ion U <sub>3</sub> O <sub>8</sub> cluster. . . . .	218
7.12	Displacement distribution of surface oxygen ions in a 2750 ion U <sub>3</sub> O <sub>8</sub> cluster. . . . .	219
7.13	Displacement distribution of bulk uranium ions in a 2750 ion U <sub>3</sub> O <sub>8</sub> cluster. . . . .	219

---

7.14 Displacement distribution of surface uranium ions in a 2750 ion $\text{U}_3\text{O}_8$ cluster. . . . .	220
7.15 Displacement distribution of bulk planar oxygen ions in a 2750 ion $\text{U}_3\text{O}_8$ cluster. . . . .	221
7.16 Displacement distribution of bulk chain oxygen ions in a 2750 ion $\text{U}_3\text{O}_8$ cluster. . . . .	221
7.17 Displacement concentration of surface planar oxygen ions in a 2750 ion $\text{U}_3\text{O}_8$ cluster. . . . .	222
7.18 Displacement concentration of surface chain oxygen ions in a 2750 ion $\text{U}_3\text{O}_8$ cluster. . . . .	222
7.19 Summary of predicted oxygen diffusion coefficients in $\text{UO}_2$ derived from the 324 ion $\text{UO}_2$ cluster. . . . .	224
7.20 Summary of predicted oxygen diffusion coefficients in $\text{UO}_2$ derived from the 3129 ion $\text{UO}_2$ cluster. . . . .	225
7.21 Summary of predicted uranium diffusion coefficients in $\text{UO}_2$ derived from the 3129 ion $\text{UO}_2$ cluster. . . . .	226
7.22 Summary of predicted oxygen and uranium diffusion coefficients in $\text{U}_3\text{O}_8$ . . . . .	228
7.23 Summary of oxygen diffusion coefficients in $\text{U}_3\text{O}_8$ . . . . .	229
A.1 Features of the casplot program. . . . .	252
B.1 Migration of iodine through $\text{U}_3\text{O}_8$ . . . . .	258
B.2 Picture of a $\text{U}_3\text{O}_8$ particle. . . . .	261
B.3 A screenshot of the MDviz code in action. The user is investigating a high temperature simulation of a particle of $\text{UO}_2$ . . . . .	263

---

B.4	The fluorite crystal structure of UO <sub>2</sub> , created with POV-Ray . . . . .	265
B.5	The crystal structure of U <sub>3</sub> O <sub>8</sub> created with POV-Ray . . . . .	265
B.6	A fragment of UO <sub>2</sub> cut from a crystal. . . . .	266
B.7	The migration of uranium in UO <sub>2</sub> , details as in Figure B.6. . . . .	267
B.8	Visualisation of an oxygen vacancy assisted migration process: I <sup>-</sup> migration in U <sub>3</sub> O <sub>8-z</sub> . . . . .	269
B.9	A particle of UO <sub>2</sub> as simulated with the Molecular Dynamics technique. . . . .	269
B.10	MSD of lattice ions at constant temperature. . . . .	271
B.11	Arrhenius plot of anion migration in UO <sub>2</sub> . . . . .	271
B.12	A cut from an ideal crystal of LaF <sub>3</sub> . Click the image to see a movie of the heating process from 10K to 1000K. . . . .	272
B.13	The hopping behaviour of fluoride ions in LaF <sub>3</sub> . . . . .	272